

JC542 U.S. PTO
09/285550
04/02/99

APPENDIX A

FOR

UNITED STATES LETTERS PATENT

TITLE: MONITORING A VIRTUAL PRIVATE NETWORK

**APPLICANT: MATTHEW W. POISSON
MELISSA L. DESROCHES
JAMES M. MILILLO
RAVI SUBBARAO**

8 PAGES

"EXPRESS MAIL" Mailing Label Number EL182578316US

Date of Deposit April 2, 1999
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office To Addressee" with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Alison Brazil
Alison Brazil

```
// Configuration file generated by Optivity NETconfigurator
// Version: V2R0M1064B1998-9-15-12-28
// Timestamp: 02-Apr-99 12:44:53 PM
// User: Administrator
// Support: http://www.baynetworks.com/
Error=Error
call omset using {"DNS.DomainName=nortel.com"}
call omset using {"DNS.PrimaryDNSServer=10.10.10.20"}
call omset using {"DNS.SecondaryDNSServer=30.30.30.30"}
call omset using {"DNS.TertiaryDNSServer=40.40.40.40"}
call omset using {"Security.TrustedL2FEnabled=TRUE"}
call omset using {"Security.TrustedL2TPEEnabled=TRUE"}
call omset using {"Security.UntrustedL2FEnabled=TRUE"}
call omset using {"Security.UntrustedL2TPEEnabled=TRUE"}
call omset using {"Security.AllowTunnelToTunnel=TRUE"}
call omset using {"Security.AllowClientToBranch=TRUE"}
call omset using {"Security.AllowBranchToBranch=TRUE"}
call omset using {"Flash.AdminUid=admin2"}
call omset using {"Flash.AdminPassword=password"}
call omset using {"DirBackup.PrimaryZEnabled=enabled"}
call omset using {"DirBackup.PrimaryHost=141.251.69.22"}
call omset using {"DirBackup.PrimaryPath=/tmp"}
call omset using {"DirBackup.PrimaryInterval=480"}
call omset using {"DirBackup.PrimaryUsername=sam"}
call omset using {"DirBackup.PrimaryPassword=sam"}
call omset using {"DirBackup.SecondaryZEnabled=enabled"}
call omset using {"DirBackup.SecondaryHost=192.168.204.35"}
call omset using {"DirBackup.SecondaryPath=/tmp/backup"}
call omset using {"DirBackup.SecondaryInterval=240"}
call omset using {"DirBackup.SecondaryUsername=junk"}
call omset using {"DirBackup.SecondaryPassword=admin"}
call omset using {"DirBackup.TertiaryZEnabled=enabled"}
call omset using {"DirBackup.TertiaryHost=backup"}
call omset using {"DirBackup.TertiaryPath=/backup"}
call omset using {"DirBackup.TertiaryInterval=420"}
call omset using {"DirBackup.TertiaryUsername=user"}
call omset using {"DirBackup.TertiaryPassword=user"}
call omset using {"DbRadiusAuthServers.Enabled=FALSE"}
call omset using {"AddressAcquisition.AcquisitionType=DHCP"}
Error = ""
call omset using {"AddressAcquisition.DHCPTType=Unicast"}
call omset using {"DhcpServer[0].ServerAddress=21.21.21.30"}
```

```

call omset using {"DhcpServer[1].ServerAddress=15.15.15.60"}
call omset using {"DhcpServer[2].ServerAddress=60.60.32.32"}
prev = call omget using {"LdapConfig.useRemote"}
if (prev == "TRUE") then using
{
call omset using {"LdapConfig.useRemote=FALSE"}
call omset using {"LdapConfig.UpdateNow=TRUE"}
}
running = call omget using {"Slapd.IsRunning"}
if ( running == "TRUE" ) then using {}
else using {
call omset using {"Slapd.Start=TRUE"}
}
keyLocalAuthServer = call omfirst using {"DbLocalAuthServers.Local
AuthServer"}
call omset using
{"DbLocalAuthServers.LocalAuthServer["keyLocalAuthServer"].stripUi
dSuffix=TRUE"}
call omset using
{"DbLocalAuthServers.LocalAuthServer["keyLocalAuthServer"].UidSuff
ixDelimiter=@"}
}
prev = call omget using {"LdapConfig.useRemote"}
if (prev == "FALSE") then using
{
call omset using {"LdapConfig.useRemote=TRUE"}
call omset using {"LdapConfig.UpdateNow=TRUE"}
}
keyLocalAuthServer= call omfirst using {"DbLocalAuthServers.LocalA
uthServer"}
call omset using
{"DbLocalAuthServers.LocalAuthServer["keyLocalAuthServer"].stripUi
dSuffix=TRUE"}
call omset using
{"DbLocalAuthServers.LocalAuthServer["keyLocalAuthServer"].UidSuff
ixDelimiter=@"}
}
call omset using {"LdapProfileServer[0].Host=12.12.12.23"}
call omset using {"LdapProfileServer[0].UseSSL=FALSE"}
call omset using {"LdapProfileServer[0].Port=100"}
call omset using {"Interface[257].Desc=micemen"}
call omset using {"Interface[257].Enabled=FALSE"}
call omset using {"Interface[257].Public=TRUE"}

```

```

call omdestroy using {"IpIntf[20.20.20.20]"}
thekey = "10.25.25.63"
call omvalid using {"IpIntf["thekey"].DevLoc=215"}
if (Error != "") then using
{
    call omcreate using {"IpIntf["thekey"]}
    call omset using {"IpIntf["thekey"].Devloc=257"}
    Error = ""
}
call omset using {"IpIntf["thekey"].Subnet=255.255.255.0"}
call omset using {"Interface[257].DefaultGateway=10.25.25.1"}
realIpsecBaseAccount = "IPSEC,-"
groupKey = call omfirst using {"DbGroups.Group"}
svRadKey = call omfirst using {"DbRADIUSAuthServers.RADIUSAuthServ
er"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultAuthMetho
dSHARED_SECRET=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultAuthMetho
dCERTIFICATE_RSA=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultAuthMetho
dAXENT=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultAuthMetho
dSECURID=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultAuthMetho
dPAP=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultEncryptio
n3DES_MD5=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpsecBaseAccount"].De
faultEncryptio
nDES_MD5=TRUE"}

```

```
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpssecBaseAccount"].DefaultEncryptionDES_40=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpssecBaseAccount"].DefaultEncryptionHMAC_SHA=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["realIpssecBaseAccount"].DefaultEncryptionHMAC_MD5=TRUE"}
strPPTPKey = "PPTP, -"
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strPPTPKey"].DefaultEncryptionNone=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strPPTPKey"].DefaultEncryptionRC4_128=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strPPTPKey"].DefaultEncryptionRC4_40=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strPPTPKey"].DefaultAuthMethodChap=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strPPTPKey"].DefaultAuthMethodPAP=TRUE"}
strL2TPKey = "L2TP, -"
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strL2TPKey"].DefaultEncryptionNone=TRUE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strL2TPKey"].DefaultEncryptionRC4_128=FALSE"}
call omset using
```

```

{"Dbgroups.Group[ROOT].Accounts.Account["strL2TPKey"].DefaultEncryptionRC4_40=FA
LSE"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strL2TPKey"].DefaultAuthMethodChap=TRUE
"}
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strL2TPKey"].DefaultAuthMethodPAP=TRUE"
}
strL2FKey = "L2F,-"
call omset using
{"Dbgroups.Group[ROOT].Accounts.Account["strL2FKey"].DefaultAuthMethodPAP=TRUE"}
call omdestroy using {"TrapHost[141.251.69.22]"}
call omcreate using {"TrapHost[100.100.100.90]"}
call omset using {"TrapHost[100.100.100.90].Enabled=TRUE"}
call omset using {"TrapHost[100.100.100.90].community=public"}
call omdestroy using {"TrapHost[192.168.204.12]"}
call omcreate using {"TrapHost[100.200.200.10]"}
call omset using {"TrapHost[100.200.200.10].Enabled=TRUE"}
call omset using {"TrapHost[100.200.200.10].community=private"}
call omdestroy using {"TrapHost[0.0.0.0]"}
call omcreate using {"TrapHost[100.100.30.33]"}
call omset using {"TrapHost[100.100.30.33].Enabled=TRUE"}
call omset using {"TrapHost[100.100.30.33].community=public"}
call omset using {"Script[HEALTH1.NOS].RepeatCount=0"}
call omset using {"Script[HEALTH1.NOS].Interval=00:05:00"}
call omset using {"Script[HEALTH2.NOS].RepeatCount=0"}
call omset using {"Script[HEALTH2.NOS].Interval=00:02:00"}
call omset using {"Script[HEARTBT.NOS].RepeatCount=0"}
call omset using {"Script[HEARTBT.NOS].Interval=01:00:00"}
call omset using {"Script[HWHEALTH.NOS].RepeatCount=0"}
call omset using {"Script[HWHEALTH.NOS].Interval=00:02:00"}
call omset using {"Script[INTRUDE.NOS].RepeatCount=0"}
call omset using {"Script[INTRUDE.NOS].Interval=00:05:00"}
call omset using {"Script[LOGIN.NOS].RepeatCount=0"}
call omset using {"Script[LOGIN.NOS].Interval=00:05:00"}
call omset using {"Script[POWERUP.NOS].RepeatCount=0"}
call omset using {"Script[POWERUP.NOS].Interval=23:59:59"}
call omset using {"Script[HEALTH1.NOS].RepeatCount=1"}
call omset using {"Script[HEALTH1.NOS].Interval=00:05:00"}

```

```

call omset using {"Script[HEALTH2.NOS].RepeatCount=1"}
call omset using {"Script[HEALTH2.NOS].Interval=00:02:00"}
call omset using {"Script[HEARTBT.NOS].RepeatCount=1"}
call omset using {"Script[HEARTBT.NOS].Interval=01:00:00"}
call omset using {"Script[HWHEALTH.NOS].RepeatCount=1"}
call omset using {"Script[HWHEALTH.NOS].Interval=00:02:00"}
call omset using {"Script[INTRUDE.NOS].RepeatCount=1"}
call omset using {"Script[INTRUDE.NOS].Interval=00:05:00"}
call omset using {"Script[LOGIN.NOS].RepeatCount=1"}
call omset using {"Script[LOGIN.NOS].Interval=00:05:00"}
call omset using {"Script[POWERUP.NOS].RepeatCount=1"}
call omset using {"Script[POWERUP.NOS].Interval=23:59:59"}
thekey = "141.251.69.69"
call omvalid using {"IpIntf[141.251.69.69].Subnet=99.99.99.99"}
if (Error != "") then using
{
    call omcreate using {"IpIntf[141.251.69.69]"}
    Error = ""
}
call omset using {"IpIntf[141.251.69.69].DevLoc=256"}
call omset using {"IpIntf[141.251.69.69].IpAddr=141.251.69.69"}
call omset using {"IpIntf[141.251.69.69].Subnet=255.255.255.0"}
call omset using {"Interface[256].Desc=maestro"}
accsrvkey = call omfirst using {"DbRadiusAcctServers.RadiusAcctServer"}
if (accsrvkey == "") then using
{
    BaseDn = call omget using {"LdapConfig.BaseName"}
    if ( Error == "" ) then using
    {
        accsrvkey="cn=accl, ou=radius, ou=accounting servers, "+BaseDn
        call omcreate using
        {"DbRadiusAcctServers.RadiusAcctServer["+accsrvkey+"]"}
        if ( Error == "" ) then using
        {
            accsrvkey=call omfirst using
            {"DbRadiusAcctServers.RadiusAcctServer"}
        }
    }
}
call omset using
{"DbGroups.Group[root].Accounts.Account[General,-].AcctUpdateFreq="

```

```

01:01:00"}
call omset using
{"DbRadiusAcctServers.RadiusAcctServer["accsrvkey"].Host=132.132.1
32.10"}
call omset using
{"DbRadiusAcctServers.RadiusAcctServer["accsrvkey"].HostPort=1856"
}
call omset using
{"DbRadiusAcctServers.RadiusAcctServer["accsrvkey"].HostPassword=p
assword"}
NumEntries = call omget using {"DbRadiusAuthServers.NumEntries"}
svAuthKey = call omfirst using {"DbRadiusAuthServers.RadiusAuthSer
ver"}
if (svAuthKey == "") then using
{
    Error = ""
    BaseDn = call omget using {"LdapConfig.BaseName"}
    svAuthKey="cn=radius1, ou=Radius, ou=Authentication Server
s,"+BaseDn
    call omcreate using
{"DbRadiusAuthServers.RadiusAuthServer["svAuthKey"]}
}
call omset using {"DbRadiusAuthServers.Enabled=TRUE"}
call omset using
{"DbRadiusAuthServers.RadiusAuthServer["svAuthKey"].PrimaryHostEna
bled=TRUE"}
call omset using
{"DbRadiusAuthServers.RadiusAuthServer["svAuthKey"].PrimaryHost=20
.20.20.10"}
call omset using {"IpxIntfOmCls.IPXPublicAddress=4F1A3BC2"}
call omvalid using {"PppIntf[515].LocalIpAddress=123.123.123.123"}
if (Error != "") then using
{
    call omcreate using {"PppIntf[515]"}
    Error = ""
}
call omset using {"PppIntf[515].LocalIpAddress=36.35.89.90"}
call omset using {"PppIntf[515].Description=slot3interface2"}
call omset using {"Interface[515].Enabled=FALSE"}
call omset using {"PppIntf[515].IpcpAcceptRemote=FALSE"}
call omvalid using {"PppIntf[259].LocalIpAddress=123.123.123.123"}
if (Error != "") then using
{

```



```
call omcreate using {"PppIntf[259]"}
Error = ""
}
call omset using {"PppIntf[259].LocalIpAddress=15.65.89.20"}
call omset using {"PppIntf[259].Description=slot3interfface1"}
call omset using {"Interface[259].Enabled=FALSE"}
call omset using {"PppIntf[259].IpcpAcceptRemote=TRUE"}
call omset using {"PppIntf[259].PeerIpAddress=0.0.0.0"}
```